

Tutor screening: study guide

Education and educational support · suite apt-270-tutor-screening · generated
2026-09-15T15:24:59.267Z

Detail	Value
Title	Tutor screening: study guide
Generated	2026-09-15T15:24:59.267Z
Fixture/version	apt-270-tutor-screening
Sector	Education and educational support
Guide version	v2

Private practice result. Not an official exam certificate, employer decision, hiring signal, admissions decision, or guaranteed outcome. Scores stay on this device unless you export them.

Answer keys and scoring logic stay server-side and are never included in any download or export.

How to use this guide

This file contains the whole study outline for this suite: every skill it draws on, the full lesson for each of those skills, worked examples, practice tips, a glossary, and where each piece of material comes from. Nothing here is a summary of a page you still have to visit.

1. Read the skills section end to end once, without timing yourself.
2. Work the guided practice mode for the suite, using the practice tips as a checklist.
3. Move to the mini-test only when guided practice feels unhurried.
4. Sit the full simulation last, once, in the conditions you expect on the day.

Practice attempts are stored on the device you used, never on an account. Exporting a result is the only way anything leaves that device.

Practice modes and durations

Practice modes for Tutor screening

Mode	Duration	What it is for
Guided practice	15 minutes	Untimed, with feedback after every item.
Mini-test	18 minutes	A short timed set for checking pace.
Full simulation	45 minutes	Full length and full time, in one sitting.

- Start guided practice:
<https://learn.novusstreamsolutions.com/aptitude/practice/new?bank=apt-270-tutor-screening&mode=guided>
- Start mini-test:
<https://learn.novusstreamsolutions.com/aptitude/practice/new?bank=apt-270-tutor-screening&mode=mini>
- Start full simulation:
<https://learn.novusstreamsolutions.com/aptitude/practice/new?bank=apt-270-tutor-screening&mode=full>

Skills covered, in full

This suite draws on 5 skill constructs. Each one below carries its complete lesson.

Situational judgment

Evaluating workplace responses against role-relevant principles.

Learn a repeatable way to compare workplace responses: establish the facts, identify duties and risks, respect role boundaries, then choose a proportionate first action. This is educational preparation, not an official scoring guide.

What you should be able to do after this lesson:

1. Separate facts stated in a scenario from assumptions that the scenario does not support.
2. Rank response options by immediate risk, policy or role obligations, proportionality, and follow-through.
3. Explain why a strong first action is better than passive, punitive, or unauthorized alternatives.

Worked examples and pitfalls

Worked scenario: an unverified safety concern: A colleague reports a possible equipment fault while a deadline is approaching. First distinguish the known fact, the report, from the unverified cause. A strong response protects people and affected work, checks the concern through the right channel, tells the relevant lead, and records what was done. Ignoring the report underreacts; shutting down unrelated work or accusing someone before checking the facts overreacts.

Method: facts, duties, risks, response: Write four short notes before ranking options: what is known, who may be affected, which duty or boundary applies, and what safe next step is available now. Prefer an action that addresses the immediate issue and creates useful follow-through. Do not reward an option merely because it sounds decisive.

How to practise this skill

- Answer the question asked: best first action, worst action, or complete response are different tasks.
- Check whether an option acts within the person's authority and escalates only as far as the risk requires.
- When two options look reasonable, prefer the one that gathers missing facts and communicates ownership.

Glossary

Proportionality: Matching the urgency and scope of a response to the evidence, likely impact, and authority available.

Role boundary: The limit of what a person may decide or do without approval, specialist help, or escalation.

Follow-through: Confirming ownership, recording the decision, and checking that the issue was actually resolved.

Study this next

- Situational judgement test:
<https://learn.novusstreamsolutions.com/search?q=Situational%20judgement%20test>
- Workplace ethics: <https://learn.novusstreamsolutions.com/search?q=Workplace%20ethics>
- Decision-making: <https://learn.novusstreamsolutions.com/search?q=Decision-making>
- Situational judgment lesson on Novus Learn:
<https://learn.novusstreamsolutions.com/aptitude/skills/situational-judgement/lesson>

Where this material comes from

- Novus Learn original situational-judgment suite scenarios and published construct mapping.
- Novus educational framework: facts, duties, risks, role boundaries, proportional action, and follow-through.

Educational preparation only. Novus Learn does not administer official exams and does not guarantee scores or hiring outcomes.

Critical thinking

Evaluating evidence, assumptions, arguments, credibility, and alternative explanations.

Critical thinking assessments ask you to take an argument apart: what is being concluded, what it rests on, what evidence would settle it, and whether a proposed conclusion actually follows. Published critical-thinking batteries typically run five task types - inference, recognition of assumptions, deduction, interpretation, and evaluation of arguments - and they are deliberately built so that agreeing with a conclusion and judging the argument as strong come apart. The construct is heavily weighted in policy analysis, audit, legal, investigative and graduate selection, and it is the same skill that stops a plausible chart from turning into a bad decision. Practice stays on this device; there is no account and nothing is uploaded unless you export it.

What you should be able to do after this lesson:

1. State an argument's conclusion in your own words before evaluating it, and identify which sentences are premises and which are background.
2. Use the negation test to separate a required assumption from a statement that would merely strengthen the argument.
3. Distinguish validity from truth, and identify affirming the consequent as distinct from the valid modus tollens form.
4. Compute a posterior probability on a screening example and explain why the rate of true positives among all positives is far lower than intuition suggests.
5. Generate at least two alternative explanations - selection, reverse causation, a common third factor - for any claimed causal effect, and name the comparison that would rule them out.
6. Judge argument strength on relevance and directness rather than on agreement, including marking arguments you personally reject as strong.

Worked examples and pitfalls

The negation test finds assumptions; nothing else does: Argument: 'The council should fit bin sensors across the district. In the trial depot they cut collection trips by a fifth.' Candidate assumption A: 'The trial depot's waste pattern is broadly representative of the rest of the district.' Negate it - suppose the trial depot is nothing like the rest of the district - and the argument collapses, because a result that does not transfer supports nothing about the district. So A is a required assumption. Candidate assumption B: 'Bin sensors are the cheapest available technology for this purpose.' Negate it - suppose they are the most expensive - and the argument still stands as given, since it argued from a reduction in trips, not from cost. B is not required; it would strengthen a cost-based argument that was never made. Candidate C: 'Fewer collection trips reduce total operating cost.' Negate it and the recommendation loses its point, so C is required too, even though the argument never mentions cost. That last case is the one candidates miss, because the required assumption is what bridges the evidence to the recommendation, and bridging assumptions are by definition unstated. The failure mode across this whole item type is picking statements that support the conclusion instead of statements the argument cannot survive without.

Base rates: 90 percent accurate, 15 percent right: A production line runs an automated defect test. Defects occur in 1 percent of units. The test flags 90 percent of genuinely defective units, and wrongly flags 5 percent

of good units. A unit has just been flagged - how likely is it to be defective? Work in whole units rather than probabilities. Take 10,000 units: 100 are defective and 9,900 are good. Of the 100 defective, the test flags 90. Of the 9,900 good, it wrongly flags 5 percent, which is 495. Total flags: $90 + 495 = 585$. Of those, 90 are genuine, so the answer is $90 / 585 = 15.4$ percent. Better than the 1 percent base rate, and nowhere near the 90 percent that intuition offers. The error has a name - confusing the probability of a flag given a defect with the probability of a defect given a flag - and it has a practical consequence: the rework queue has to be sized for 585 units a batch, not 100, and 495 of the 585 units sitting in it are perfectly good. Whenever a test, screening rule or model accuracy figure appears in an item, ask how many of the negatives there are, because with a rare condition the false positives from a large clean population swamp the true positives from a small affected one.

Three alternative explanations, and the comparison that settles it: Claim: 'Employees who attended the optional resilience workshop took 30 percent fewer sick days last year, so the workshop works.' Alternative one, selection: attendance was optional, so the people who signed up may have been the healthier and more engaged to begin with, and would have taken fewer sick days regardless. Alternative two, reverse direction: employees who were frequently unwell were the least able to attend a full-day workshop, so illness determined attendance rather than the other way round. Alternative three, a common third factor: the workshop ran on Thursday afternoons at head office, so attendance largely tracks being an office-based rather than shift-based worker, and shift workers take more sick leave for reasons that have nothing to do with resilience training. What would settle it: randomly assigning the offer to half the workforce and comparing the two groups. Failing that, the cheapest useful check already exists in the payroll data - compare attendees' and non-attendees' sick days in the year before the workshop. If attendees were already 30 percent lower, selection is doing the entire job. The habit worth building is to name the comparison group before you accept any before-and-after number.

Deduction: affirming the consequent versus modus tollens: Rule: 'If an invoice is over 10,000 euro, it requires two signatures.' Argument A: 'This invoice has two signatures, therefore it is over 10,000 euro.' Invalid - this is affirming the consequent. The rule makes two signatures necessary for large invoices; it says nothing that prevents a cautious manager from double-signing a 400 euro invoice, so a two-signature invoice of any size is consistent with the rule. Argument B: 'This invoice has only one signature, therefore it is not over 10,000 euro.' Valid - this is modus tollens, denying the consequent to deny the antecedent, and it holds assuming the rule was followed. Argument C: 'This invoice is not over 10,000 euro, therefore it does not have two signatures.' Invalid again, denying the antecedent. Two further points that deduction items test directly. First, validity is about form alone: 'All banks close on Sundays; Riverton Mutual is a bank; therefore Riverton Mutual closes on Sundays' is perfectly valid even if the first premise is false, and a valid argument with a false premise can deliver a false conclusion. Second, in these items you must accept the premises as given even when you know them to be untrue, because the question is whether the conclusion follows, not whether it is true.

Interpretation: what a survey figure does and does not license: Data: all 1,200 employees of a firm were surveyed. 62 percent said they would accept a four-day week at 90 percent pay. Of those who said yes, 71 percent were under 35. Conclusion one: 'A majority of this firm's employees would accept the trade.' This follows - 62 percent of a complete census of the firm is a majority, and the conclusion is properly limited to this firm. Conclusion two: 'A majority of the firm's under-35 employees would accept the trade.' This does not follow, and the arithmetic shows why. Sixty-two percent of 1,200 is 744 accepters, and 71 percent of 744 is about 528 accepters aged under 35. That is the composition of the accepters, not the acceptance rate within the under-35 group, and without knowing how many under-35s the firm employs the rate is undetermined: if there are 900, the rate is $528 / 900 = 59$ percent; if there are 600, it is 88 percent; if there were 1,100 the rate would be below half. Conclusion three: 'The firm should move to a four-day week.' This does not follow either - a stated preference about pay says nothing about output, shift cover, customer hours or cost. Notice that conclusion two is the base-rate error from the screening example, wearing survey clothing.

Strong and weak arguments on the same question: Question: should the agency publish raw inspection scores for every site? Strong argument for: 'In the neighbouring authority, publication was followed by a measurable fall in repeat violations, which is the stated aim of the inspection regime.' It is directly about this decision, it addresses the regime's own objective, and it offers evidence - and if true it would change your view. Weak argument for: 'Yes, because transparency is always good.' Sweeping, unsupported, and it would apply identically to publishing anything at all, which is the tell. Strong argument against: 'Raw scores omit the severity weighting, so a site with one critical failure can rank above a site with six minor ones, and a member of the public cannot see the difference.' Specific, mechanistic, directly about the proposal, and it would change your view. Weak argument against: 'No, because businesses will object.' It may be true and it may matter politically, but it does not bear on whether publication achieves the regime's aim, and no evidence is offered. Two tests separate strong from weak: is the argument about the exact question asked, and would accepting it change the decision? Note that you can hold a firm personal view on publication and still be required to mark the argument on the other side as the strong one - that split is what the item type is measuring.

How to practise this skill

- Negate every candidate assumption out loud. If the argument survives the negation, it was never an assumption, however supportive it sounds. This single habit converts the assumption item type from guesswork into a mechanical check.
- Write the conclusion in your own words before reading any option. Half of the wrong answers on inference and evaluation items are responses to a conclusion the argument never reached.
- Ask 'percentage of what?' on every percentage in the stimulus and reconstruct the denominator in whole units. Base-rate and composition errors both dissolve the moment you write out counts instead of rates.
- Deliberately practise marking arguments you disagree with as strong and arguments you agree with as weak. Assessments in this construct are built to catch agreement masquerading as evaluation, and the effect is largest on politically loaded stimuli.
- For any causal claim, write two alternatives - selection and a third factor - and name the comparison group that would rule them out, before you decide whether the evidence supports the claim.
- Log wrong answers by task type rather than by topic: inference, assumption, deduction, interpretation, evaluation. Candidates are rarely weak across all five, and the profile tells you where the next hour of practice belongs.

Glossary

Conclusion: The claim an argument is trying to establish. It is not always last, is often signalled by therefore, so, or should, and locating it correctly determines every subsequent judgement about the argument.

Assumption: An unstated premise the argument requires in order to work. Identified by negation: negate it and a genuine assumption brings the argument down, while a merely helpful statement leaves it standing.

Validity and soundness: An argument is valid when the conclusion cannot be false while the premises are true, which is a property of form alone. It is sound when it is valid and the premises are actually true.

Affirming the consequent: The invalid pattern 'if P then Q; Q; therefore P'. It is the most common deductive distractor because it differs from the valid modus tollens form by only the position of a negation.

Base rate: How common something is in the population before any test or evidence is applied. Ignoring it makes accurate-sounding tests appear far more informative than they are when the condition is rare.

Confounder: A third factor associated with both the supposed cause and the outcome, capable of producing the entire observed relationship on its own. Ruled out by randomisation or by an explicit comparison group.

Selection effect: A difference between groups created by how people entered them rather than by the treatment under study. Optional programmes and voluntary surveys are where it appears most often.

Falsifiability: The property of a claim that some observation could show it to be wrong. A claim compatible with every possible result carries no information, which is why 'what would change your mind?' is a diagnostic question.

Study this next

- Critical thinking skill hub: <https://learn.novusstreamsolutions.com/aptitude/skills/critical-thinking>
- Practise the critical thinking bank: <https://learn.novusstreamsolutions.com/cognitive-skills/critical-thinking>
- Verbal reasoning lesson: <https://learn.novusstreamsolutions.com/aptitude/skills/verbal-reasoning/lesson>
- Government audit suite: <https://learn.novusstreamsolutions.com/aptitude/tests/government-audit>
- Investigator and detective reasoning suite:
<https://learn.novusstreamsolutions.com/aptitude/tests/investigator-and-detective-reasoning>
- Critical thinking lesson on Novus Learn:
<https://learn.novusstreamsolutions.com/aptitude/skills/critical-thinking/lesson>

Where this material comes from

- Worked items written for Novus Learn. The arguments, survey figures, defect-test numbers and evaluation options above are original and invented for this lesson; no published or copyrighted test item is reproduced.
- The five task types named in the summary - inference, assumption, deduction, interpretation, evaluation of arguments - describe a structure used publicly across several critical-thinking assessments; no affiliation with any publisher is claimed or implied.
- Terminology follows standard, widely published usage in introductory logic and research methods - validity, soundness, affirming the consequent, base rate, confounder, selection effect.
- Novus Learn aptitude construct registry (catalog seed) for the construct scope and the suite mapping shown in the related links.
- Public educational framing only - not affiliated with any official exam board, publisher or employer.

Educational preparation only. Novus Learn does not administer official exams and does not guarantee scores or hiring outcomes.

Verbal reasoning

Drawing conclusions from written information without relying on outside assumptions.

Verbal reasoning is the discipline of answering strictly from a passage: deciding whether a statement is True, False, or Cannot Say on the evidence given, and refusing to import anything you happen to know about the topic. It is the workhorse construct in graduate and civil-service screening, banking and consulting sifts, and language-focused public-service batteries, where a passage about parcel volumes or grant conditions is followed by four statements to classify. The same discipline is what stops a contract review, a grant assessment or an incident summary from quietly acquiring facts nobody wrote down. Practice here is device-local: no account, and nothing leaves this device unless you export it.

What you should be able to do after this lesson:

1. Classify a statement as True, False, or Cannot Say, and state in one sentence which words in the passage force the classification.
2. Explain the difference that costs the most marks: 'Cannot Say' means undetermined by the passage, while 'False' means contradicted by it.
3. Spot quantifier drift between passage and statement (all, some, most, only, none) and show why 'all A are B' never licenses 'all B are A'.
4. Refuse a causal upgrade: recognise when a passage reports co-occurrence or sequence and a statement

claims cause.

5. Separate what a passage asserts from what it reports somebody else asserting, and classify statements about each correctly.
6. Do the small arithmetic hidden inside verbal items - percentage changes, fractions of a stated total - without leaving the passage for outside data.

Worked examples and pitfalls

The three-way rule on one short passage: Passage: 'The Riverton depot handled 4,200 parcels in March, a 12 percent increase on February. A night shift was introduced in January; in March it processed 40 percent of the parcels the depot handled.' Now take four statements. (1) 'The depot handled 3,750 parcels in February.' February is March divided by 1.12: $4,200 / 1.12 = 3,750$ exactly, so this is True - the passage determines it even though the number is not printed. (2) 'The night shift caused the March increase.' Cannot Say. The passage puts the night shift and the increase in the same depot in the same period; it never claims one produced the other, and it never denies it either. Most candidates mark this False, reasoning correctly that correlation is not causation but then choosing the wrong label: False is reserved for statements the passage contradicts. (3) 'The night shift processed more than 1,700 parcels in March.' Forty percent of 4,200 is 1,680, which is not more than 1,700, so this is False - contradicted by arithmetic on the passage's own figures. (4) 'The depot handled more parcels in March than in January.' Cannot Say: January is mentioned only as the month the shift started, and no January volume is given.

Quantifier drift and illicit conversion: Passage: 'All accredited suppliers submit quarterly audits. Some suppliers in the northern region are accredited.' Statement A: 'Some suppliers in the northern region submit quarterly audits.' True, and it is worth seeing why the chain holds: at least one northern supplier is accredited, and every accredited supplier submits, so at least one northern supplier submits. Statement B: 'Every supplier that submits quarterly audits is accredited.' This reverses the first sentence. 'All accredited suppliers submit' leaves the door wide open for unaccredited suppliers to submit as well - perhaps voluntarily, perhaps under another rule - so the answer is Cannot Say. Turning 'all A are B' into 'all B are A' is called illicit conversion and it is the single most productive trap in this format, because the reversed sentence sounds like a paraphrase. Statement C: 'No unaccredited supplier submits quarterly audits' is the same reversal wearing a negative coat, and it is Cannot Say for the same reason. Statement D: 'All northern suppliers submit quarterly audits' is also Cannot Say: 'some are accredited' says nothing about the rest.

Asserted versus reported: Passage: 'The committee's report claims that the scheme cut waiting times by a third. Two of the four regional boards have disputed that figure.' Statement A: 'The scheme cut waiting times by a third.' Cannot Say. What the passage asserts is that a report claims this; the claim's truth is never settled, and the dispute does not settle it either. Statement B: 'At least two regional boards disagree with the report's waiting-time figure.' True, and note 'at least' - the passage says two disputed it, and two of four disputing is consistent with 'at least two'. Statement C: 'All four regional boards accept the figure.' False, directly contradicted. Statement D: 'The report is wrong.' Cannot Say. This item type appears constantly in policy and diplomacy passages, where a paragraph stacks a claim, a source, and a reaction, and the reader has to keep three different truth-conditions apart. The reliable habit is to underline the reporting verb - claims, argues, estimates, alleges, projects - and remember that everything downstream of it belongs to the source, not to the passage.

Percentages are not symmetric: Passage: 'Membership fell from 8,000 to 6,000 over two years, then recovered by 25 percent in the third year.' Statement: 'Membership at the end of year three was higher than at the start.' The fall is 2,000 on a base of 8,000, which is 25 percent. The recovery is 25 percent of the new base: $6,000 \times 1.25 = 7,500$. That is below 8,000, so the statement is False. The trap is elegant, because a 25 percent fall followed by a 25 percent rise feels like it should cancel. It does not: to get back from 6,000 to 8,000 you need a 33.3 percent rise, since $2,000 / 6,000 = 0.333$. Whenever a verbal item states a change as a percentage, write down what the percentage is a percentage of before you touch it. A related version

supplies the recovery as an absolute number instead - 'recovered by 2,000 members' - which does return the total to 8,000, and candidates who answered the first version from memory get the second one wrong.

Verbal analogies: name the relation as a sentence: Item: 'ANTISEPTIC is to INFECTION as ____ is to ____.' Options: (a) vaccine : immunity, (b) insulation : heat loss, (c) medicine : illness, (d) bandage : wound. Write the stem relation as a full sentence first: 'An antiseptic is applied in order to prevent an infection from occurring.' Now test each option against that exact sentence. Option (a) runs the other way - a vaccine is given to produce immunity, not to prevent it. Option (c) is the right family but the wrong specificity: medicine typically treats an illness that has already started. Option (d) is applied after the wound exists. Option (b) fits precisely: insulation is applied in order to prevent heat loss from occurring. The general method is the same on the simpler item types. 'BOOK is to LIBRARY as PAINTING is to ____' has canvas (the material), artist (the maker), and gallery (the place a collection is kept and shown) among its options; all three are genuine relations to 'painting', and only the third matches the stem sentence. Options in analogy items are chosen to be true statements about the words, just not the stated relation.

Two premises with 'some' prove nothing: Argument: 'Some depot managers are qualified engineers. Some qualified engineers hold a rigging certificate. Therefore some depot managers hold a rigging certificate.' This is invalid, and the way to prove it is a counter-model rather than an argument. Let the depot managers be Ana and Ben; let the qualified engineers be Ben and Cara; let the certificate holders be Cara alone. Premise one holds: Ben is a manager and an engineer. Premise two holds: Cara is an engineer with the certificate. The conclusion fails: neither Ana nor Ben holds the certificate. Since a single consistent world makes both premises true and the conclusion false, the argument cannot be valid, so in a True / False / Cannot Say framing the conclusion is Cannot Say. Two premises that both begin 'some' never combine into a conclusion, because 'some' gives you an overlap without telling you where the overlap sits. Contrast a valid pair: 'All accredited labs are inspected annually. No inspected facility is exempt from the fee.' Every accredited lab is inspected, and no inspected facility is exempt, so no accredited lab is exempt - True.

How to practise this skill

- Answer from the passage even when you know the subject. Candidates with a background in the topic score worse on verbal items than they expect, because their own knowledge quietly supplies the missing premise that turns a Cannot Say into a True.
- Run the two-worlds test on every candidate 'Cannot Say': can you imagine a world where all the passage's sentences hold and the statement is true, and another where they hold and it is false? If both, it is Cannot Say. If only the false world exists, it is False.
- Underline the quantifiers and hedges in the statement (all, some, only, most, may, must, likely) and find their counterparts in the passage. Roughly half of the wrong answers in this construct come from a single word swapped between the two.
- Budget about 25 to 30 seconds per statement rather than per passage, and read the passage once for structure before touching the statements. Re-reading the whole passage for each statement is what causes candidates to run out of time on the last set.
- Keep a wrong-answer log with one label per error: quantifier, causation, reported-versus-asserted, arithmetic, outside knowledge. A clear pattern almost always emerges within about forty items, and it is usually a single label.
- Work untimed until the three-way rule is automatic, then add the clock. Attempts are stored on this device only, so a slow first pass through a passage set costs you nothing but the time you spend on it.

Glossary

Entailment: A statement is entailed by a passage when it cannot be false while every sentence of the passage is true. Entailment is the only thing that earns a 'True' in this format; being plausible, likely, or well known does not.

Cannot Say: The verdict for a statement the passage neither entails nor contradicts. It is a claim about the passage, not about the world, which is why a statement you know to be true in real life can still be Cannot Say.

Quantifier: A word fixing how much of a group a claim covers: all, most, some, few, none, only. Swapping one quantifier for another changes the logical content completely while barely changing how the sentence reads.

Illicit conversion: The invalid move from 'all A are B' to 'all B are A', or from 'if P then Q' to 'if Q then P'. It preserves the words and destroys the logic, which is why converted sentences make such effective wrong answers.

Counter-model: A concrete, consistent scenario in which the premises hold and the conclusion fails. Producing one is the fastest possible proof that an argument is invalid, and it takes two or three named individuals.

Hedge: A qualifier such as may, could, is expected to, or is associated with. A hedged sentence in a passage cannot support an unhedged statement, and an unhedged passage sentence is not weakened by a hedged statement.

Reporting verb: A verb such as claims, argues, estimates, or alleges that attributes the following content to a source. Everything downstream of it is the source's assertion, and the passage takes no position on it.

Analogy relation: The specific link between the two stem words in an analogy item - tool and user, item and container, action and purpose. Naming it as a full sentence before reading the options removes almost all of the guesswork.

Study this next

- Verbal reasoning skill hub: <https://learn.novusstreamsolutions.com/aptitude/skills/verbal-reasoning>
- Practise the verbal reasoning bank:
<https://learn.novusstreamsolutions.com/cognitive-skills/verbal-reasoning>
- Critical thinking lesson: <https://learn.novusstreamsolutions.com/aptitude/skills/critical-thinking/lesson>
- Reading comprehension lesson:
<https://learn.novusstreamsolutions.com/aptitude/skills/reading-comprehension/lesson>
- General civil-service aptitude suite:
<https://learn.novusstreamsolutions.com/aptitude/tests/general-civil-service-aptitude>
- Verbal reasoning lesson on Novus Learn:
<https://learn.novusstreamsolutions.com/aptitude/skills/verbal-reasoning/lesson>

Where this material comes from

- Worked items written for Novus Learn. Every passage, statement set and figure above is original and invented for this lesson; no published or copyrighted test item is reproduced.
- Terminology follows standard, widely published usage in introductory logic and assessment writing - entailment, quantifier, illicit conversion, counter-model.
- Novus Learn aptitude construct registry (catalog seed) for the construct scope and the suite mapping shown in the related links.
- Public educational framing only - not affiliated with any official exam board, publisher or employer.

Educational preparation only. Novus Learn does not administer official exams and does not guarantee scores or hiring outcomes.

Planning and scheduling exercises

Resources, dependencies, deadlines, constraints, and contingency planning.

Learn to build a feasible schedule from dependencies, resource limits, deadlines, and uncertainty. A strong plan makes the critical sequence visible and includes triggers for replanning.

What you should be able to do after this lesson:

1. Convert a task list into durations, predecessors, resource needs, milestones, and constraints.
2. Identify the chain of dependent tasks most likely to control the finish date.
3. Add proportionate buffers, checkpoints, and contingencies without hiding an impossible deadline.

Worked examples and pitfalls

Worked scenario: a four-hour shutdown: Inspection takes 30 minutes before either repair can start. Two repairs take 90 and 120 minutes, but both need the same technician; testing takes 45 minutes after both finish. The minimum sequence is $30 + 90 + 120 + 45 = 285$ minutes, longer than the shutdown. The correct response is to surface the conflict and change scope, staffing, or window, not to place overlapping bars on a chart and call the plan feasible.

Dependency and contingency check: Draw arrows between tasks, then mark scarce resources and approval gates. For the highest-risk dependency, define an early warning and a response: for example, if a permit is not approved by noon, defer nonessential work and notify the owner rather than discovering the conflict at start time.

How to practise this skill

- Check resource conflicts as well as task order; parallel work is impossible when both tasks need the same person or asset.
- Protect the completion milestone with visible review points, not an unexplained buffer at the end.
- When a constraint makes the plan impossible, state it early and propose the smallest viable change.

Glossary

Dependency: A rule that one task or milestone must precede or enable another.

Critical path: The dependent task sequence that determines the earliest possible finish under the stated plan.

Slack: The time a task may move without delaying a dependent milestone or final completion.

Study this next

- Scheduling: <https://learn.novusstreamsolutions.com/search?q=Scheduling>
- Critical path method: <https://learn.novusstreamsolutions.com/search?q=Critical%20path%20method>
- Resource allocation: <https://learn.novusstreamsolutions.com/search?q=Resource%20allocation>
- Planning and scheduling exercises lesson on Novus Learn:
<https://learn.novusstreamsolutions.com/aptitude/skills/planning-scheduling/lesson>

Where this material comes from

- Novus Learn original scheduling, project-coordination, dispatch, and operations suite scenarios.
- Novus educational framework: tasks, durations, dependencies, resources, constraints, milestones, and contingencies.

Problem solving

Selecting methods, combining information, troubleshooting, and reaching practical solutions.

Problem solving is the construct that asks you to choose a method, not just execute one: to combine a table with a rule, decide whether an estimate settles the question or an exact calculation is needed, narrow a fault by halving the search space, and check the answer against the constraint that actually binds. It shows up across operations, logistics, manufacturing, technician and analyst selection, and in the situational sections of public-safety batteries. It is also the construct where the marking rewards a defensible route as much as a number. Everything you practise stays on this device unless you export it.

What you should be able to do after this lesson:

1. Combine a pricing or specification table with a written brief to reach an answer neither source contains on its own, and find the break-even point where the better option changes.
2. Narrow a fault on a chain of components by bisection, and state the worst-case number of tests before you begin.
3. Solve a working-backwards problem from a known end state, then verify by running the sequence forwards.
4. Decide whether an order-of-magnitude estimate settles a feasibility question or whether the margin is close enough to require exact arithmetic.
5. Identify the binding constraint in a resource-allocation problem and explain why a per-unit heuristic on the non-binding resource gives the wrong answer.
6. Separate a root cause from a symptom, and describe the test that would confirm the cause rather than merely correlate with it.

Worked examples and pitfalls

Two price structures and the distance where they cross: A delivery of 55 km. Courier A charges 8.00 base plus 0.45 per km. Courier B charges 20.00 flat for the first 40 km, then 0.90 per km beyond that. Which is cheaper? Courier A costs 8 plus 0.45 times 55, which is 8 plus 24.75, giving 32.75. Courier B costs 20 plus 0.90 times 15, which is 20 plus 13.50, giving 33.50. Courier A wins by 0.75. Now the question the item is really testing: is A always cheaper? At 45 km, A costs 8 plus 20.25 which is 28.25, while B costs 20 plus 4.50 which is 24.50. B wins comfortably. So the answer flips somewhere between, and finding where is one line of algebra. Above 40 km, B costs 20 plus 0.9 times distance minus 40, which simplifies to $0.9d$ minus 16. Set that equal to A's 8 plus $0.45d$: 8 plus $0.45d$ equals $0.9d$ minus 16, so 24 equals $0.45d$, so d is about 53.3 km. Below 53.3 km B is cheaper; above it A is. Check at the crossover: A is 8 plus 24 which is 32.00, and B is 48 minus 16 which is also 32.00. The general lesson is that whichever option has the lower per-unit rate always wins eventually, regardless of the base charges, and the base charges only decide where eventually starts. A single quoted distance never answers a which-is-cheaper question for a fleet.

Halving the search space beats walking the chain: Forty sensors sit on a single daisy-chained cable and exactly one connection is broken, cutting off everything downstream. How many tests do you need in the worst case? Walking the chain from one end and testing each sensor in turn takes up to 40 tests and 20 on average. Test the midpoint instead. If sensor 20 responds, the break is in the upper half and you have eliminated 20 candidates in one measurement; if it does not, the break is below and you have eliminated the other 20. Repeat on the surviving half: 40 becomes 20, then 10, then 5, then 3, then 2, then 1. Six tests, worst case, because each test halves what is left and two to the power six is 64, comfortably more than 40. The saving grows as the problem grows: 1,000 candidates need only ten tests. Two conditions have to hold for bisection to be valid, and stating them is part of the answer. The fault must be monotone, meaning

everything on one side of the break behaves differently from everything on the other; and a single test at any point must tell you which side you are on. When there are two independent breaks, or when a test is only meaningful at the ends, bisection does not apply and a different strategy is needed. Candidates who reach for bisection reflexively on a problem that fails those conditions lose more than they save.

Working backwards from the number you were given: A team started a quarter with an unknown budget. In week one it spent half of it. In week two it spent 400 of what remained. In week three it spent a third of what remained after that. It finished with 1,200. How much did it start with? Attempting this forwards means carrying an unknown through three operations. Backwards it is arithmetic. After week three, 1,200 is what is left having spent a third, so 1,200 represents two thirds of the week-three opening balance, which was therefore 1,800. Before week two's spend of 400, the balance was 1,800 plus 400, which is 2,200. That 2,200 is what remained after spending half, so the starting budget was 4,400. Verify forwards, always: 4,400 less half is 2,200; less 400 is 1,800; less a third of 1,800, which is 600, leaves 1,200. Correct. The mechanical rule is to invert each operation and apply the inversions in reverse order. The inverse of spending a third is dividing by two thirds, not multiplying by three, and that specific slip is the most common wrong answer in this family. Working backwards is the right tool whenever the end state is known exactly and the operations are individually invertible, which covers most budget, mixture and journey problems phrased as how much did it start with.

When an estimate is enough, and when it is not: A maintenance window is three hours. Two technicians must service 1,850 units, each taking about 4.5 minutes, plus a shared 20-minute setup and 15-minute teardown. Feasible? Estimate first: 1,850 units at 4.5 minutes is 8,325 technician-minutes; split between two people that is about 4,163 minutes, which is roughly 69 hours. The window is 3 hours. The answer is no by a factor of more than twenty, and no refinement of the setup and teardown figures could change it. Precision here would be wasted effort. Now the same problem with 90 units. Ninety at 4.5 minutes is 405 technician-minutes, halved to 202.5 minutes, plus 35 minutes of setup and teardown, giving 237.5 minutes. That is 3 hours and 57 and a half minutes against a 3-hour window. Still no, but only just, and now every assumption matters: whether the technicians can genuinely work in parallel, whether setup is shared or duplicated, whether 4.5 minutes is a mean or a best case. The judgement being assessed is knowing which regime you are in. If your rough figure misses the target by an order of magnitude, stop and answer. If it lands within a factor of two, the estimate has not settled anything and you must do the exact arithmetic and name your assumptions.

The binding constraint decides, and it is rarely the obvious one: A van carries at most 900 kg and at most 6 cubic metres. Pallet type X weighs 150 kg, occupies 0.8 cubic metres and is worth 200. Pallet type Y weighs 90 kg, occupies 1.4 cubic metres and is worth 260. What mix maximises value? The instinctive heuristic is value per kilogram: X gives 200 over 150, about 1.33, while Y gives 260 over 90, about 2.89, so load Y. That is wrong, and the reason is that weight is not what runs out. Value per cubic metre tells the opposite story: X gives 250 and Y gives about 186. Enumerate the feasible whole-pallet mixes. Six X uses 900 kg and 4.8 cubic metres, worth 1,200. Five X and one Y uses 840 kg and 5.4 cubic metres, worth 1,260. Four X and two Y uses 780 kg and exactly 6.0 cubic metres, worth 1,320. Three X and three Y needs 6.6 cubic metres and does not fit. Two X and three Y uses 570 kg and 5.8 cubic metres, worth 1,180. Four Y alone uses 5.6 cubic metres and is worth 1,040. The best mix is four X and two Y at 1,320. Look at what binds it: volume is used to the last cubic metre while 120 kg of payload goes unused. Once volume is identified as the binding constraint, X's superior value per cubic metre explains the X-heavy answer, and the spare weight explains why two Y still get on board. The transferable move is to compute the usage of every constraint at your proposed answer and see which one is exhausted; a per-unit ratio computed against a non-binding resource is worse than no heuristic at all.

Cause, symptom, and the test that tells them apart: A pump trips out twice a shift. The obvious fix is to reset it, which works for about four hours. Ask why once and you find the thermal overload relay is tripping. Ask again and the motor is running hot. Again and the bearing is running hot. Again and the grease has dried out.

Again and the lubrication interval was set for a duty cycle far lighter than the pump has actually been running since the line was rebalanced last year. Each level supports a different fix: resetting the trip costs nothing and lasts four hours; replacing the relay costs a part and lasts until the bearing seizes; regreasing lasts weeks; changing the lubrication schedule to match the real duty cycle is the one that stops the fault recurring. Stop asking why when the next answer stops being something you can act on, or when it leaves the boundary of the system you can change. There is one discipline that separates this from storytelling. A correlation is a lead, not a cause: the fact that the trips started after the line was rebalanced is suggestive, not proof. The confirming test is to intervene and observe: restore the original duty cycle, or apply the corrected greasing interval to this pump and not to the identical one on the parallel line, and see which one trips. If a proposed cause cannot be tested by changing it, treat it as a hypothesis and say so rather than closing the investigation.

How to practise this skill

- Write the question you are actually being asked at the top of your working, in your own words. Problem-solving items usually supply more information than the question needs, and the commonest failure is a correct calculation of something nobody asked for.
- Before any comparison of two options, ask where they cross. One quoted quantity never settles which is cheaper or faster, and the break-even is usually a single line of algebra away.
- State the worst-case number of steps before starting a search or a fault trace. If bisection applies, say so and say why; if the fault is not monotone or a test only works at the ends, say that instead and pick a different method.
- Estimate before you compute, then decide explicitly which regime you are in. Missing the target by an order of magnitude ends the question; landing within a factor of two means the estimate proved nothing and the exact numbers are now compulsory.
- Finish every allocation or capacity problem by listing how much of each constraint your answer consumes. The constraint you exhaust is the one that explains the answer, and the one you do not is where a per-unit heuristic will mislead you.
- Always verify a backwards solution by running it forwards. Attempts stay on this device, so the extra minute costs nothing and catches the inverted-fraction error that makes this family's most attractive wrong answer.

Glossary

Break-even point: The value at which two options cost or take the same. Below it one option wins and above it the other does, which is why a single quoted case never answers a comparison question.

Binding constraint: The limit that is fully consumed by the chosen solution. Identifying it explains the answer and reveals which per-unit ratios are relevant and which are noise.

Slack: The unused portion of a constraint at a proposed solution. Spare capacity in one resource is what lets a mix include items that look inefficient on the binding resource.

Bisection: Halving a search space with each test. It reduces a search of n candidates to about $\log$ base two of n tests, but only where the fault is monotone along the chain.

Working backwards: Solving from a known end state by inverting each operation in reverse order. The reliable method whenever the final value is given and every step is individually invertible.

Order-of-magnitude estimate: A rough calculation intended to settle feasibility rather than produce a figure. It is decisive when the answer is off by a factor of ten and useless when the margin is within a factor of two.

Root cause: The condition whose removal stops the fault recurring, as opposed to a symptom whose treatment suppresses it temporarily. A candidate cause that cannot be tested by changing it remains a hypothesis.

Monotone fault: A fault where everything on one side of a break behaves differently from everything on the other. The precondition that makes bisection valid, and the assumption most often left unstated.

Study this next

- Problem solving skill hub: <https://learn.novusstreamsolutions.com/aptitude/skills/problem-solving>
- Problem solving practice bank: <https://learn.novusstreamsolutions.com/cognitive-skills/problem-solving>
- Diagrammatic reasoning lesson:
<https://learn.novusstreamsolutions.com/aptitude/skills/diagrammatic-reasoning/lesson>
- Maintenance technician suite:
<https://learn.novusstreamsolutions.com/aptitude/tests/maintenance-technician>
- Supply chain planner suite: <https://learn.novusstreamsolutions.com/aptitude/tests/supply-chain-planner>
- Problem solving lesson on Novus Learn:
<https://learn.novusstreamsolutions.com/aptitude/skills/problem-solving/lesson>

Where this material comes from

- Every figure above was computed and checked for Novus Learn: the courier break-even at about 53.3 km, the six-test bisection bound for 40 candidates, the 4,400 starting budget verified forwards, and the four-X-two-Y loading enumerated across all feasible whole-pallet mixes.
- Terminology checked against the public Wikipedia articles 'Binary search algorithm', 'Break-even', 'Shadow price' and 'Root cause analysis'. Definitions only; every scenario above is original.
- Novus Learn aptitude construct registry (catalog seed) for the construct scope and related suite mapping.
- Public educational framing only: not affiliated with any official exam board, publisher or employer, and no copyrighted test item is reproduced.

Educational preparation only. Novus Learn does not administer official exams and does not guarantee scores or hiring outcomes.

Recommended preparation

- Practice situational judgement:
<https://learn.novusstreamsolutions.com/aptitude/skills/situational-judgement/lesson>
- Strengthen critical thinking: <https://learn.novusstreamsolutions.com/aptitude/skills/critical-thinking/lesson>
- Practice planning and scheduling:
<https://learn.novusstreamsolutions.com/aptitude/skills/planning-scheduling/lesson>

Answer keys, scoring and privacy

Answer keys and scoring logic stay server-side and are never included in any download or export.

Formal suite answer keys and scoring logic stay on the server and are not part of any download, in any format. Downloadable keys exist only for the open, untimed practice material (the practice packs on the puzzles, cognitive-skills and reasoning practice lab pages), where the answers are already public teaching content.

Novus Learn needs no account. Your practice history lives in this browser's storage on this device, and is sent to a server only if you create an account and switch on backup. This file contains no attempt, session or result link, so it is safe to share.

Private practice result. Not an official exam certificate, employer decision, hiring signal, admissions decision, or

guaranteed outcome. Scores stay on this device unless you export them.

Answer keys and scoring logic stay server-side and are never included in any download or export.

Source: <https://learn.novusstreamsolutions.com/aptitude/tests/tutor-screening/study-outline>